

MATERIAL SAFETY DATA SHEET

Olin MSDS No.: 00077.0001 Revision No.: 13 Revision Date: 1/1/11 Supercedes: 1/1/10

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	LEAD SHOT AND SLUGS
Chemical Name:	Mixture – Metal Alloy
Synonyms:	Hard Lead Shot, shot, Hard Lead Slugs, Slugs
Chemical Family:	Metal mixture
Formula:	Not applicable - mixture
Product Use/ Description:	Projectiles for shotshells
•	,

COMPANY ADDRESS

MSDS Control Group Olin Corporation Winchester Division, Inc. 600 Powder Mill Road East Alton, IL 62024 www.winchester.com TECHNICAL INFORMATION: 618-258-3507 EMERGENCY TELEPHONE NUMBER: 618-258-2111

2. COMPOSITION / INFORMATION ON INGREDIENTS

CAS Number	Components	% By Weight	EINECS/ ELINCS #	EU Classification	
				Symbol	R-Phrase
7439-92-1	Lead	99	231-100-4	T, N*	R1-33-50/53-62
7440-36-0	Antimony	1 - 5	231-146-5	None	None
7440-38-2	Arsenic	0.1 - 1	231-148-6	Т	R 23/25

*This material is not listed in Annex 1 of Directive 88/379/EEC. Olin has classified the material according to the conventional method based upon information from similar materials.

OSHA REGULATORY STATUS: Dust or fume is toxic, carcinogen, irritant, reproductive and developmental toxin

In solid form, this material is not hazardous. Dust and fumes are hazardous materials.

3. HAZARDS IDENTIFICATION

WARNING! EXPOSURE TO DUST OR FUMES CAN CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. EXPOSURE TO DUST OR FUMES CAN CAUSE RESPIRATORY SYSTEM DAMAGE. CONTAINS A MATERIAL WHICH MAY CAUSE KIDNEY, BLOOD, REPRODUCTIVE AND NERVOUS SYSTEM EFFECTS. CONTAINS MATERIALS WHICH CAN CAUSE CANCER. USE ONLY WITH ADEQUATE VENTILATION. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING.

HAZARD RATINGS (for dust or fume) Hazardous Materials Identification System (HMIS) for dust or fume:	Degre Health	e of hazard (0 = low, n: 2*	, 4 = extreme) Flammability: 0	Physical Hazard: None
National Fire Protection Association (NFPA)	Mixtu	e. Not rated.		
HUMAN THRESHOLD RESPONSE DATA				
Odor Threshold:		Unknown		
Irritation Threshold:		Unknown		
Immediately Dangerous to Life or Health (IDLH) Value	<u>e(s):</u>	The IDLH for this mg/m ³ . The IDLH for	product is not known. or antimony is 50 mg/m ³ .	The IDLH for lead is 100
POTENTIAL HEALTH EFFECTS				



This product is composed of a finished metal alloy solid. Therefore, under normal handling of this product, no exposure to any harmful materials will occur.

When ammunition is fired, a small amount of particles may be generated which may be slightly irritating to the eyes and the respiratory tract. The particles may contain trace amounts of these harmful substances:

<u>Lead:</u> Ingestion of large amounts of lead can cause abdominal pain, constipation, cramps, nausea and/or vomiting. Chronic exposure to lead can cause kidney damage, anemia, reproductive effects, developmental effects and permanent nervous system damage in humans including changes in cognitive function.

<u>Arsenic:</u> Epidemiological studies in humans have shown an association between increased incidences of lung and skin cancer and prolonged exposures to high concentrations of arsenic. Arsenic is classified as a known human carcinogen.

It is unlikely that the amount of particles that someone would be exposed to from firing would be sufficient to cause any of these effects.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: There are no medical conditions known to be aggravated by exposure to this product in its solid form. Exposure to lead can aggravate anemia, cardiovascular and respiratory disease.

POTENTIAL ENVIRONMENTAL EFFECTS:

Product has not been tested for environmental properties. Lead-containing shot has been shown to be toxic to aquatic species.

4. FIRST AID MEASURES

EYE CONTACT: Immediately flush out fume or particles with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye irritation develops, call a physician at once.

SKIN CONTACT: Wash skin with plenty of soap and water.

INHALATION: If symptoms of lung irritation occur (coughing, wheezing or breathing difficulty), remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep affected person warm and at rest. Get medical attention.

INGESTION: If ingested, immediately call a physician.

5. FIRE FIGHTING MEASURES

PROPERTY	VALUE	PROPERTY	VALUE
Explosive	No	Flammable	No
Combustible	No	Pyrophoric	No
Flash Point (°C):	Not applicable	Burning Rate of Material:	Not applicable
Lower Explosive Limit:	Not applicable	Autoignition Temp.:	No data
Upper Explosive Limit:	Not applicable	Flammability Classification: (defined by 29 CFR 1910.1200)	Not applicable

UNUSUAL FIRE AND EXPLOSION HAZARDS: EXTINGUISHING MEDIA: SPECIAL FIREFIGHTING PROCEDURES:

None Not Applicable - Choose extinguishing media suitable for surrounding materials. In case of fire, use normal fire fighting equipment. Response to this material

requires the use of a self-contained breathing apparatus (SCBA).

6. ACCIDENTAL RELEASE MEASURES

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC AT 800-424-9300.

This material is heavier than and insoluble in water. Do not place spill materials back in their original containers. Containerize and label all spill materials properly. Decontaminate all clothing and the spill area using soap solution and flush with large amounts of water. Use clean shovel or broom to pick up and place in clean container for disposal.

7. HANDLING AND STORAGE

HANDLING: STORAGE:

Shelf Life Limitations: Incompatible Materials for Packaging: Incompatible Materials for Storage or Transport: CONDITIONS TO AVOID: No special requirements No special requirements None known Acids and caustics None known.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	CHEMICAL NAME	ACGIH TLV	OSHA PEL	INTERNATIONAL OELS
7439-92-1	Lead	0.05 mg/m ³	0.05 mg/m ³	Austria, Denmark, Germany, Sweden, Switzerland: 0.1 mg/m ³ Norway, Poland: 0.05 mg/m ³
7440-38-8	Arsenic	0.01 mg/m ³	0.01 mg/m ³	Germany, MAK – 1 mg/m ³ Austria, Belgium, Finland, Japan, Holland, Czechoslavakia, Hungary and Poland - 0.5 mg/m ³ Italy – 0.25 mg/m ³ Switzerland, Canada (Alberta & others) – 0.2 mg/m ³ Sweden – 0.05 mg/m ³ Canada (B.C.), Denmark = 0.01 mg/m ³ , K1
7440-36-0	Antimony	0.5 mg/m ³	0.5 mg/m ³	Austria, Belgium, Denmark, France, Finland, Germany, Hungary, Netherlands, Norway, Poland, Sweden, UK: 0.5 mg/m ³

ENGINEERING CONTROLS:

Local exhaust ventilation is recommended if significant dusting occurs or fumes are generated. Otherwise, use general exhaust ventilation. Use explosion-proof ventilation. Not normally needed.

EYE / FACE PROTECTION: SKIN PROTECTION: RESPIRATORY PROTECTION: GENERAL HYGIENE:

Not normally needed Respiratory protection not normally needed.

Wash hands thoroughly after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

PROPERTY	VALUE	PROPERTY	VALUE
Appearance:	Cylindrical projectile – silver	Vapor Density (air = 1):	Not applicable
	colored if nickel plated,		
	copper colored if copper		
	plated, gray if not plated		
Odor:	None	Boiling Point (°F):	Not applicable
Molecular Weight:	Not applicable - Mixture	Melting point:	Not applicable
Physical State:	Solid	Specific gravity (g/cc):	Not applicable
pH:	Not applicable	Bulk Density	Not applicable
Vapor Pressure (mm Hg):	Not applicable	Viscosity (cps):	Not applicable
Vapor Density	Not applicable	Decomposition Temperature:	Not applicable
Solubility in Water (20 °C):	Insoluble	Evaporation Rate:	Not applicable
Volatiles, Percent by volume:	Not applicable	Octanol/water partition coefficient:	Not applicable

10. STABILITY AND REACTIVITY

 STABILITY:
 Stable under normal temperatures and pressure.

 MATERIALS TO AVOID:
 Acids and caustics

 HAZARDOUS DECOMPOSITION PRODUCTS:
 Metals may liberate hydrogen gas from reaction with acids. Metal oxides, lead dust/fume

 HAZARDOUS POLYMERIZATION:
 Will not occur.

 OTHER:
 None

11. TOXICOLOGICAL INFORMATION

POTENTIAL EXPOSURE ROUTES: The physical nature of this product makes absorption from any route unlikely. A small amount of inhalable particles may be created when projectile is fired.



ACUTE ANIMAL TOXICITY DATA:

For Product:			For Components			
		Antimony	Arsenic	Lead		
Oral LD ₅₀	Not applicable for product	7 g/kg (rat)	763 mg/kg (rat)	No data		
Dermal LD ₅₀	Not applicable for product	No data	No data	No data		
Inhalation LC ₅₀	Not applicable for product. Particles generated from firing may be slightly toxic.	No data	No data	No data		
Irritation	Not a skin or eye irritant as a loaded round.	No data	No data	Not irritating		

SUBCHRONIC/ CHRONIC TOXICITY: CARCINOGENICITY:	Lead has caused blood, kidney and nervous system damage in laboratory animals. The International Agency for Research on Cancer (IARC) lists lead as possibly carcinogenic to humans, group 2B. In laboratory animal studies, chronic exposure to high concentrations of nickel has caused an increase in lung and nasal tumors. Arsenic is listed as a known human carcinogen by IARC (Group 1), OSHA, NTP and EPA. Arsenic is listed as a known human carcinogen by IARC (Group 1), OSHA, NTP and EPA.
<u>MUTAGENICITY:</u> <u>REPRODUCTIVE, TERATOGENICITY, OR</u> <u>DEVELOPMENTAL EFFECTS:</u> <u>NEUROLOGICAL EFFECTS:</u>	Lead has been shown to be mutagenic in several <i>in vitro</i> assays. Lead has been shown to affect fetal development including birth defects and reduce male reproductive function in laboratory animals. Lead has caused peripheral and central nervous system damage and behavioral effects in laboratory animals.
INTERACTIONS WITH OTHER CHEMICALS WHICH ENHANCE TOXICITY:	None known or reported.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

MOBILITY:

Lead: LC 50 (48 hrs.) to bluegill (Lepomis macrochirus) is reported to be 2-5 mg/l. Lead is toxic to waterfowl.

Arsenic: Daphnia magna, 48 hr. LC₅₀ = 3.8 mg/L; Fathead minnow, 96 hr LC₅₀ = 9.9 mg/L

Dissolved lead from degraded bullets may migrate through soil.

PERSISTANCE/DEGRADABILITY: Not biodegradable. Bullets may fragment and decompose in soil leading to accumulation of lead. *BIOACCUMULATION:* No data

13. DISPOSAL CONSIDERATIONS

Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

14. TRANSPORT INFORMATION

	U.S. DOT	RID/ADR	IMDG	ΙΑΤΑ	IMO	Canada TDG
PROPER SHIPPING NAME:			Not regu	llated		
HAZARD CLASS:						
UN NO.:						
PACKING GROUP:						
HAZARD LABEL/PLACARD:						
REPORTABLE QUANTITY:						
SPECIAL COMMENTS:						



US FEDERAL

TSCA	The components of this	The components of this product are listed on the Toxic Substance Control Act inventory.						
CERCLA:	Lead, R.Q. = 10 lbs.; A	Lead, R.Q. = 10 lbs.; Arsenic, R.Q. = 1 lb.; Antimony, R.Q. = 5000 lbs. (No reporting is required if						
	diameter of the pieces	diameter of the pieces of metal is equal to or exceeds 100 micrometers (0.004 inches).						
SARA 313:	Lead, Arsenic, Antimor	Lead, Arsenic, Antimony						
SARA 313 Hazard Class:	<u>Health</u> :	<u>Health</u> : Acute – No <u>Fire</u> : No <u>Reactivity</u> : None <u>Release of Pressure</u> : Yes						
SARA 302 EHS List:	None of the componen	None of the components of this product are listed.						

RQ = Reportable Quantity

STATE RIGHT-TO-KNOW STATUS

Component	*CA Prop. 65	New Jersey	Pennsylvania	Massachusetts	Michigan
Lead	Х	Х	Х	Х	Х
Arsenic	Х	Х	Х	Х	Х
Antimony	Not listed	Х	Х	Х	Х

* "WARNING: This product contains detectable amounts of a chemical(s) known to the State of California to cause cancer and/or birth defects or other reproductive harm."

EUROPEAN REGULATIONS

This material in its solid form is not required to be labeled under EC regulations.

German WGK Classification: Not known

CANADIAN REGULATIONS

DSL LIST: The components of this product are on the DSL or are exempt from reporting under the New Substances Notification Regulations.

IDL: Lead, Arsenic, Antimony

WHMIS: This product is not subject to WHMIS. It is considered to be a manufactured article.

16. OTHER INFORMATION

REVISIONS: New International format, toxicology review – 1/1/03; 7/1/09 – changed emergency contract number and mailing address; 1/1/11 - review

PREPARED BY: Olin Corporation

OTHER: Additional information available from: <u>www.winchester.com</u>

<u>NOTICE:</u> THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. OLIN BELIEVES THIS INFORMATION TO BE RELIABLE AND CURRENT AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS.